

دست‌پار هوشمند کسب و کار

دستگاهی که در اختیار دارید قابلیت مدیریت کسب و کار شما را دارد. با امکانات این دستگاه، یک All in one واقعی خواهید داشت که قابلیت نصب نرم افزارهای فروش، حسابداری و انبارداری را برای شما فراهم می‌کند.



امکان نصب نرم افزارهای تایید شده اندروید نظیر نرم افزارهای فروش، حسابداری، انبارداری



مدیریت توزیع و فروش، انبار و پخش مویرگی با استفاده از GPS، اسکنر، چاپگر، بارکدخوان و R F I D



برخورداری از استاندارد بالای امنیتی در انتقال اطلاعات و تراکنش‌ها



دستگاه ضدضربه و مقاوم در برابر سقوط از ارتفاع یک و نیم متر



اتصال به اینترنت از طریق wifi و GPRS نسل چهارم (4G)



امکان نصب اسکنر اثر انگشت برای کسب و کارهای مرتبط



امکان نصب بارکد اسکنر دو بعدی پرسرعت در صورت نیاز مشتری



باتری قوی با قابلیت شارژ سریع برای فعالیت پیوسته



Expansion and Peripherals

Camera	5MP AF rear camera 2MP front camera(optional)
GPS	GPS, Supports A-GPS, GLONASS, BD system
Slot	Micro SD/TF x 1(UP to128GB), SIM x 2, SAM x 1or SIM x 1, SAM x 2 (optional)
PSAM	Complies with ISO7816 standard
Interfaces	Micro USB x 1
Audio	Speaker, Buzzer

User Environment

Operating Temperature	-10°C ~ 50°C (14~122°F)
Storage Temperature	-40°C ~ 70°C (-40~158°F)
Humidity	5% ~ 95% (non condensing)



Basic Features

O.S.	Android 6.0 / 8.1 Supports multi-language
CPU	Quad-Core 1.1GHz
Display	5.0 inch TFT-LCD HD, 720 x 1280 5.5 inch TFT-LCD HD, 720 x 1280(optional)
Panel	Ultra sensitive capacitive touch screen
RAM	2GB
ROM	16GB
Dimensions	233mm x 81mm x 35mm (max 64mm)
Weight	530g (Battery included)
Buttons	Home button, Menu button, Back button The volume +/- button, Power button
Input	Chinese / English, supports handwriting and soft keyboard
Barcode Reading	Supports 1D/2D barcode reading

Radio Communication

Wi-Fi	IEEE 802.11 b/g/n	
Bluetooth	Bluetooth 4.1 BLE	
International version	4G	FDD-LTE (B1/B2/B3/B4/B5/B7/B8/B12/ B17/B19/B20/B25/B26/B28A/B28B/B66) TDD-LTE (B34/B38/B39/B40/B41)
	3G	WCDMA(B1/B2/B4/B5/B8) CDMA2000 1x EV-DO Rev. A Bc0 (800MHz)
	2G	CDMA 1x GSM/EDGE/GPRS (850/900/1800/ 1900MHz)

Payment

Magcard	Supports ISO7811/7812/7813, and supports 1/2/3 track, Bi-direction
IC Card	Meet ISO7816 standard
Contactless Card	Supports 14443A&14443B, MifareCard, Sony Felica, NFC 13.56MHz
Thermal Printer	Media type: Receipt paper Media roll size: 40mm Media width: 58mm printing paper Resolution: 203dpi / 8dot / mm Print speed: 50~70mm/s Supports 1D/2D bar code printing
Certification	PCI PTS 5.0,PBOC3.0 Level 1&2, EMV4.3 Level1&2, EMV contactless Level 1, PCI PTS 5.x etc.

Power

Main Battery	Rechargeable 3.7V, 5600mAh lithium polymer battery pack (Typical Operation time ≥8 hours)
RTC Battery	Supported

Accessories

Standard	Power adaptor, USB cable, One battery
Optional	Media roll

Biometric Fingerprint Module

Sensor Type	Optical
Resolution	500 ppi
Sensing Area (W×H mm)	15.24×20.32
Image Size (W×H pixels)	300×400
Image Format	RAW, BMP, WSQ, ISO 19794-4
Certification	FBI FPA20, FBI PIV

i9000s

27TW

Basic Characteristics

O.S.	Safedroid OS (based on Android 5.1) Supports multi-language
CPU	Quad-Core 1.2GHz
Display	5.0 inch TFT-LCD HD (720 x 1280) color screen
Panel	Ultra sensitive capacitive touch panel, works with gloves and wet fingers
RAM	2GB
ROM	16GB
Dimensions	184mm x 81mm x 32mm (max 51mm)
Weight	550g (Battery included)
Buttons	Front: User definable button x 1, Cancel button x 1, Confirm button x 1, Clear button x 1 Side: SCAN button x 2, Volume up / down button, Custom button, Power button
Input	Handwriting and soft keyboard
Barcode Scanner	1D Laser / 2D Imager

Radio Communication

Wi-Fi	802.11 b/g/n wireless communication
Bluetooth	Bluetooth 4.1
Radio Communication	4G TDD-LTE: B40 FDD-FTE: B1/B2/B3/B4/B5/B7/B8/B20
	3G WCDMA: B1/B2/B5/B8
	2G GSM/EDGE/GPRS/CDMA: 850/900 /1800/1900MHz

Payment

Magcard	Supports ISO7811/7812/7813, and supports 1/2/3 track, Bi-direction
IC Card	Supports ISO7816 standard
Contactless Card	Supports 15693; Supports 14443A / 14443B; Supports Mifare, Sony Felica
Printer	58mm printing paper, 203dpi / 8dot / mm; Printing speed: 50~70mm/s, and supports barcode printing, 30mm media roll size

Power

Main Battery	Rechargeable 3.8V, 5000mAh lithium polymer battery pack (Typical Operation time ≥8 hours)
RTC Battery	Supported

Expansion and Peripherals

Camera	5MP camera with LED flash and auto-focus function
GPS	GPS, Supports A-GPS, GLONASS, Beidou
Slot	Micro SD/TF x 1(UP to 128GB), SIM x 1, SAM x 2
PSAM	SAM x 2 Conforms to ISO7816 standard
Interfaces	Mini USB, Pogo pin, 3.5mm Audio Jack, DC Jack
Audio	Microphone, Earpiece, Speaker



Accessories

Standard	Power adapter, USB cable, One battery
Optional	Dual-Slot Battery Charger, Fingerprint Module, Cradle, Hand Strap, Stylus, Media roll

User Environment

Operating Temperature	-10~50 °C (14~122 °F)
Storage Temperature	-40~70 °C (-40~158 °F)
Humidity	5% ~ 95% (non condensing)
Drop Durability	1.3m

Product Certification

Certification	CCC, CE, FCC, RoHS, PCI, EMV LEVEL 1&2, EMV Contactless LEVEL 1, PayWave, PayPass, AMEX
---------------	---



UROVO[®]
mobility redefined



شرکت مهندسی سامانه های هوشمند توتان
نماینده انحصاری محصولات شرکت UROVO در ایران

www.totangroup.com | info [at] totangroup.com

میز خدمات مشتریان: ۸۹۱۲۰۰۰۰۰ | دفتر مرکزی: ۸۸۹۳۰۴۹۰

آدرس ایران: تهران، خیابان ولیعصر، بالاتر از میدان ولیعصر، کوچه شهامت، پلاک شش، طبقه چهارم

